

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.03.2009

Version 5

Revision: 05.03.2009

### 1 Identification of substance:

- **Product details:**
- **Trade name:** Härtelösung X
- **Article number:** 00101, 00102, 00235, 02235
- **Application of the substance / the preparation**  
 Photochemicals  
 Fixing agent for X-ray films (additive)  
 Reserved for industrial and professional use.
- **Manufacturer/Supplier:**  
 ADEFO-CHEMIE GmbH  
 Justus-von-Liebig-Str. 24-26  
 D-63128 Dietzenbach  
 Tel.: +49 6074 84239-0  
 Fax: +49 6074 84239-63  
 E-Mail: [service@adefo-chemie.de](mailto:service@adefo-chemie.de)  
[www.adefo-chemie.de](http://www.adefo-chemie.de)
- **Informing department:**  
 Tel.: +49 6074 84239-0  
 Fax: +49 6074 84239-63  
 Competent person according to 1907/2006/EC, Annex II:  
 E-Mail: [kr@calbe-chemie.de](mailto:kr@calbe-chemie.de)
- **Emergency information:** Tel.: 0700-24112112 (CAL)

### 2 Hazards identification

- **Hazard designation:**



Xi Irritant

- **Information pertaining to particular dangers for man and environment**  
 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
 R 38 Irritating to skin.  
 R 41 Risk of serious damage to eyes.
- **Classification system**  
 The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

### 3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 10043-01-3 EINECS: 233-135-0	aluminium sulphate	Xi; R 38-41	10-15%
CAS: 7664-93-9 EINECS: 231-639-5	sulphuric acid	C; R 35	5.0-10%

- **Additional information**  
 Main component: water

(Contd. on page 2)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.03.2009

Version 5

Revision: 05.03.2009

**Trade name: Härtelösung X**

(Contd. of page 1)

For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.
- **After skin contact**  
Instantly wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; instantly call for medical help.
- **Information for doctor**
- **The following symptoms may occur:** No known symptoms to date.

## 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **Special hazards caused by the material, its products of combustion or resulting gases:**  
Can be released in case of fire  
sulphur dioxide (SO<sub>2</sub>)
- **Protective equipment:** Do not inhale explosion gases or combustion gases.
- **Additional information** The product is not flammable

## 6 Accidental release measures

- **Person-related safety precautions:** Wear protective clothing.
- **Measures for environmental protection:**  
Do not allow to enter drainage system, surface or ground water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.
- **Additional information:**  
See Section 8 for information on personal protection equipment.  
See Section 7 for information on safe handling

## 7 Handling and storage

- **Handling**
- **Information for safe handling:** No special measures required.

(Contd. on page 3)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.03.2009

Version 5

Revision: 05.03.2009

**Trade name: Härtelösung X**

(Contd. of page 2)

- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in a cool place.
- **Recommended storage temperature:** 5-30°C
- **Storage class** LGK 12 (VCI-Concept)

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to general rules for handling chemicals.  
Keep away from foodstuffs, beverages and food.  
Take off immediately all contaminated clothing  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.  
Do not eat, drink or smoke while working.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
Protective gloves.  
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.  
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.  
Only use chemical-protective gloves with CE-labelling of category III.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**

	Thickness (mm)	Breakthrough time (min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480
- **As protection from splashes gloves made of the following materials are suitable:**  
Synthetic gloves  
Value for permeation: Level:  
≥ 3 (60 min)
- **Not suitable are gloves made of the following materials:** Natural rubber, NR
- **Eye protection:** Safety glasses
- **Body protection:** Light weight protective clothing

GB

(Contd. on page 4)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.03.2009

Version 5

Revision: 05.03.2009

Trade name: Härtelösung X

(Contd. of page 3)

## 9 Physical and chemical properties:

### · General Information

<b>Form:</b>	Fluid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Not characteristic

### · Change in condition

<b>Melting point/Melting range:</b>	< 5°C
<b>Boiling point/Boiling range:</b>	> 100°C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive.

· **Vapour pressure at 20°C:** 23 hPa

· **Density at 20°C** 1.166 g/cm<sup>3</sup>

· **Solubility in / Miscibility with Water:** miscible

· **pH-value at 20°C:** < 1

### · Viscosity:

<b>dynamic:</b>	Not determined
<b>kinematic:</b>	Not determined

### · Solvent content:

<b>Organic solvents:</b>	0.0 %
<b>Water:</b>	~ 83 %

· **Solids content:** ~ 11 %

## 10 Stability and reactivity

### · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· **Dangerous reactions** Reacts with light alloys to form hydrogen

· **Dangerous products of decomposition:** No dangerous decomposition products known

## 11 Toxicological information

### · Acute toxicity:

### · Primary irritant effect:

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effect known.
- **Subacute to chronic toxicity:** No known symptoms to date.

### · Additional toxicological information:

This statement was deduced from the properties of the single components.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 5)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 05.03.2009

Version 5

Revision: 05.03.2009

**Trade name: Härtelösung X**

Irritant

(Contd. of page 4)

**12 Ecological information:**

- **Information about elimination (persistence and degradability):** Not determined
- **Behaviour in environmental systems:** Not determined
- **Mobility and bioaccumulation potential:** Not determined
- **Ecotoxic effects:** Not determined
- **Acquatic toxicity:** Not determined
- **Behaviour in sewage processing plants:** Not determined

· **General notes:**

At present there are no ecotoxicological assessments.  
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.  
 Do not allow product to reach ground water, water bodies or sewage system.  
 According to the criteria of the EU-classification and labelling "dangerous for environment"(1999/45/EG) the substance/ the product has to be classified as non-hazardous for the environment.  
 The product does not contain organically bounded halogens (AOX-free).

**13 Disposal considerations**

- **Product:**
- **Recommendation**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
 Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 04	fixer solutions
----------	-----------------

- **Uncleaned packagings:**
- **Recommendation:**  
 Non contaminated packagings can be used for recycling.  
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.  
 Packagings that cannot be cleaned are to be disposed of in the same manner as the product.  
 EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

**14 Transport information**

- **Land transport ADR/RID (cross-border)**



- **ADR/RID-GGVS/E Class:** 8 Corrosive substances.
- **Kemler Number:** 80
- **UN-Number:** UN 3264

(Contd. on page 6)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.03.2009

Version 5

Revision: 05.03.2009

**Trade name: Härtelösung X**

(Contd. of page 5)

- **Packaging group:** III
- **Label** 8
- **Designation of goods:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID)
- **Remarks:** "Limited quantity" according to chapter 3.4 ADR, if carried in combination packagings with not more than 5 litres per inner packaging and not more than 30 kg litres per package (Article 00101, 00102, 02235)

- **Maritime transport IMDG:**



- **IMDG Class:** 8
- **UN Number:** UN 3264
- **Label** 8
- **Packaging group:** III
- **EMS Number:** F-A,S-B
- **Marine pollutant:** No
- **Correct technical name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID)
- **Remarks:** "Limited quantity" according to chapter 3.4 IMDG, if carried in combination packagings with not more than 1 litre per inner packaging and not more than 30 kg per package (Article 00101, 00102, 02235)

- **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 8
- **UN/ID Number:** UN 3264
- **Label** 8
- **Packaging group:** III
- **Correct technical name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID)
- **Remarks:** Packing Instruction PAX 818, CAO 820

### 15 Regulatory information

- **Designation according to EC guidelines:**  
The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)
- **Code letter and hazard designation of product:**



Xi Irritant

- **Risk phrases:**  
38 Irritating to skin.

(Contd. on page 7)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.03.2009

Version 5

Revision: 05.03.2009

**Trade name: Härtelösung X**

(Contd. of page 6)

41 Risk of serious damage to eyes.

**· Safety phrases:**

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

39 Wear eye/face protection.

**· National regulations****· Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.**16 Other information:**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant R-phrases**

35 Causes severe burns.

38 Irritating to skin.

41 Risk of serious damage to eyes.

**· Recommended restriction of use** No public product, only for commercial use**· Sources**

applicable EEC directives:

- 1999/45/EC last change 2006/8/EC

- 67/548/EC last change 2004/73/EC (29. ATP)

Internal physical tests, MSDS of the ingredients

**· \* Data compared to the previous version altered.**

GB